

Client ID: Liebau-Laun Inc
 Project Name: VINTAGE ESTATES - RAD

Report Date: March 15, 2018
 Workorder: 1802616

Client Sample ID/Monitoring Point: EP200

Matrix: DRINKING WATER

Entry Point: ED

Unique Well No.: EP200

Sample Address: Pump House

Sample Location: Entry Point

Lab ID: 1802616-001

Date Received: 02/09/2018 2:08 PM

Collection Date: 02/07/2018 10:30 AM

Parameter	Result	MCL	LOD	LOQ	Qual.	Units	Dilution Factor	Date Analyzed	Batch ID
METALS BY ICPMS		Method: EPA-200.8-Rev 5.4, 1994				Analyst: mjs			
Uranium	0.242		0.094	0.299	J	µg/L	1	03/12/2018 3:54 PM	R93646
COMBINED RADIUM 226-228 CALCULATION		Method: Calc.-Calc-Rev Calc				Analyst: jmk			
Combined Radium 226-228	ND	5.0	0			pCi/L	1	03/02/2018 12:00 AM	R93288
RADIUM-228		Method: EPA-904.0-Rev 0, Sep-86				Analyst: jmk			
Radium-228	ND					pCi/L	1	02/28/2018 12:00 AM	50404
GROSS ALPHA		Method: EPA-900.0-Rev 0				Analyst: jmk			
ALPHA, Gross (Excluding U Rn Calc)	ND					pCi/L	1	03/04/2018 12:00 AM	50406
ALPHA, Gross	ND		0	0		pCi/L	1	03/04/2018 12:00 AM	50406



Patrick Liberg
 Project Manager
 (708) 544-3260 ext 213
 patl@suburbanlabs.com